



SELF-LOADING SYSTEMS

LOADING SEQUENCE:


- CHAINLESS X2000
- CHAINLESS X2400, X2500



01 Disengage cradle




02 Back in to pick up bale




03 Load bale onto cradle

LOADING SEQUENCE:


- CHAINLESS X5000, TOTAL CONTROL LOADING SYSTEM




01 Back tines into bale




Bale is always under control




02 Remove net wrap



Tines withdraw



Tines ready to pick up 2nd bale



03 Spear and lift second bales to transport position



TOTAL BALE CONTROL
UNIQUE TO HUSTLER, THE LOADING SYSTEM CAN BE REVERSED IF THE OPERATOR WANTS



NO WASTE AT LOADING

Chainless XR1500

The Chainless XR1500 Re-baler utilises the all new and improved Chainless feed-out system that has been well proven on thousands of farms all over the world, and is renowned for its simple patented design that is reliable, easier-to-use and handles any type, shape or size of bale.



Platform height indicators make operation simple, quick and easy

Hydraulic controls are simple to operate and low maintenance

Fully enclosed drive system keeps hay out of the working parts

Mounting pads allows the XR1500 to be easily mounted to a frame or the back of a Ute. Shown with optional wheels



BENEFITS OF RE-BALING:

- Preserve hay quality for longer
- Substantially reduce handling time and cost
- Eliminate hours of back-breaking labour or expensive equipment to collect small bales
- Increase the value of your hay
- Store the large bales and re-bale the small squares on demand or during winter
- One tractor can run both the square baler and the bale feeder



Non-corrosive polyethylene platform, guides the bale into the variable feed rotors

Low speed rotors tease the bales apart preserving the goodness of the bale

Hypa-flow wiper panel cleans the rotors, directing the feed where needed



Chainless X2000

This is a 3-point-hitch mounted work horse model Chainless bale feeder suitable for any type of round and square bales. Ideal for smaller farms, both indoors and outdoors with the capability to handle the biggest of bales.



Quick release
Hypa-flow wiper
panel makes for
easy cleaning and
eliminates blockages

Powerful lower Axial
rotor turns even
the ugliest of badly
bales with ease

Transmission covers
protect against mud
and debris and seal
the heavy-duty
4-bolt bearings.

Protected motor,
and stronger drive
system runs on
bearings instead of
troublesome bushes

Dual hook latches
for exceptionally
secure drive
alignment.

WATCH THE VIDEOS ONLINE



Slippery, ribbed design keeps bales tracking straight and reduces drag plus will never corrode.

Safety latch ensures platform is down before cradle can be disconnected.

Light weight at just 640kgs.

Ultra-low cradle for loading.

Our floating top-link pin and unequal length tines make reconnecting easy.

Large skid feet stop the machine from sinking into mud.

Platform height guide shows start position for round and square bales.



OPTIONAL SIDE CHUTE TROUGH FEEDING EXTENSION



STRING TIE POINT FOR SQUARE BALE STRINGS



FORGED HAY SPEARS PIERCE THE BALE RATHER THAN PUSHING IT



UNEQUAL LENGTH SPEARS MAKE LINING UP EASY WHEN RECONNECTING

Chainless X2400 & X2500

The world's most versatile round and square bale feeder can be mounted on either a skid-steer loader, front loader, telehandler or 3 point hitch, uses our patented X series feeding system which processes every type of round or square bale with ease, minimizing feed waste. The patented, Snaplox self-loading quick hitch system simplifies operation. X2400 is for 4' wide bales. X2500 is for 5' wide bales.

New stronger rear fence holds the bale more securely in steep country. Optional fully enclosed fence.

New rotor teeth shape give better penetration of tight bales and improved cleaning as they pass through Hypa-flow wiper panel

Slippery, ribbed design keeps bales tracking straight and reduces drag plus will never corrode.


Quick release Hypa-flow wiper panel makes for easy cleaning and eliminates blockages

2 Position lower platform adjustment (X2500) to handle the tightest frozen square bales.

Huge monoque main chassis structure provide massive strength and long service life

New heavy duty drive system runs on 2 double sealed bearings instead of troublesome bushes

Patented Snaplox connection system for hands-free connection and disconnection of feeding cradle. No rope to tug on.



Loader or Hitch mounted.

The ultimate bale feeder for versatility, not only will it feed every bale, it can be operated on both the 3 point linkage and front end loader or telehandler thanks to the unique Snaplox auto connection system and Touch-feed X hydraulic system

Mount on the front for great visibility, and forward reach or mount on the rear for practicality, stability in hilly terrain and carry a second bale on the front loader.



Removable 3 point linkage mount allows for loader or telehandler bracket to be mounted



Chainless X2500

The Chainless X2500 is loaded with all the X series feeding benefits and time saving loading benefits as found on the X2400, and has a wider bale chamber to can handle bales up to 5 ft wide!



THE VERSATILITY X FACTOR

When it comes to feeding and bedding livestock, no other machine is as versatile as the all new Chainless X2400 and X2500, offering livestock farmers more use from one machine, saving on capital expenditure, maintenance and operator training, returning bigger bottom-lines for your operation.

DISTRIBUTE FOR SELECTIVE BEDDING

Selective bedding is a new technique being embraced in developed markets, where bedding straw, lasts longer, straw consumption is reduced, dust is all but eliminated, improving the conditions the cattle are living in reducing health complications such as frozen udders, pneumonia, and other illness caused by conventional bedding methods.



Chainless X2400 & X2500

FEED INTO RINGS

Feeding each bale into multiple hay rings, can substantially reduce waste, and spoiling of silage bales



FEED INTO TROUGHS OR BUNKS

The new design with a higher and wider discharge, is now the best feeder for on the market for trough & bunk feeding



FEED INTO TMR

Accurately measure in as much hay as you need and eliminate having to wait for the mixer wagon to grind bales to bits



FEED IN BARN

Indoor feeding made easy with the new compact design, that allows the Chainless to be operated on loaders or 3 point hitch



FEED OVER FENCES

Eliminate the time it takes to enter each paddock to feed in and eliminate trampled feed, by feeding along a fence line



FEED IN THE PASTURE

The new Chainless X series is equally at home feeding the traditional way on open fields and pastures



CHAINLESS X5000

Double capacity



TOUGHER LOADING SYSTEM

A new forged link arm, larger bushings and more leverage allows the loading system to handle larger 1.5 tonne bales with ease.

BIGGER CHAMBER

The feeding chamber itself is wider and deeper which prevents bale rub, wastage and the need for continuous adjustment of the platform making it simple and easy for any operator to feed out like a pro.



LOADCAM

Another industry first from Hustler, the optional LoadCam makes lining up to load the second bale easier.

OPTIONAL MUDGUARDS

Keep feed clean from contaminants when feeding in muddy conditions

TOUGHER DRIVE SYSTEM

The rear mounted drive system is out of harms way and allows sharper turning and better manoeuvrability. With larger shafts, bearings and keys the X5000 can handle bigger, heavier bales.

HYPA-FLOW WIPER

Designed to clean the rotors more efficiently the Hypa-flow Wiper Panel minimises blockages and ensures that hay drops outside the wheel tracks to avoid being flattened into the mud. An Easy Clean function quickly releases the wiper panel for easy cleaning.